



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines


Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>



1913
112



600020323G


470. E. 19.



E. BIBL. RADCL.

~~to~~ / 11 C

1913 d. $\frac{17}{2}$



PLANTAE RARIORES

QUAS IN ITINERE PER ORAS

JONII AC ADRIATICI MARIS

ET

PER REGIONES SAMNII AC APRUTII

COLLEGIT

JOANNES GUSSONE


MED. DOCT.

ET PRAEFFECTVS H. R. BOTANICI IN *BOCCADIFALCO*.

ICONES.

NEAPOLI,
EX REGIA TYPOGRAPHIA.

MDCCCXXVI.



EXPLICATIO TABULARUM.

TAB. I, *et* II.

- 1 **F**RUCTUS integer, et auctus cum pistillis. 2 Idem horizontaliter sectus.

TAB. III.

- 1 Calyx cum pedunculo auctus. 2. Corolla aucta cum genitalibus. 3 Capsula oblonga, emarginata, aucta.

TAB IV. *f.* 1.

- 1 Ramulus cum floribus fructibusque auctus. 2. Corolla cum fructu, et bractea aucta. 5 Fructus auctus, ex facie interiore visus,

ubi umbilicatus. 4 Idem ex dorso visus, ubi bicostatus.

TAB. IV. *f.* 2.

- 1 Ramus horizontaliter sectus, et una cum foliis ac floribus auctus. 2 Flos cum bracteis, et folio subjecto auctus. 3 Calyx cum bracteis auctus.

TAB. V. *f.* 1, *et* 2.

- 1 Basis folii cum ligula. 2 Spicula aucta. 3 Gluma corollina exterior apice bifido-aristata, cum arista dorsali geniculata. *Fig.* 2. 1 Basis folii cum ligula. 2 Spicula aucta. 3 Glumae corollinae cum staminibus et pistillis auctae.

TAB. VI.

- 1 Spicula aucta. 2 Glumae corollinae flosculorum inferiorum cum
jusque spiculae auctae. 3 Eadem
flosculorum superiorum auctae.

ejusdem basim. 2 Sp
3 Gluma calycina ex
4. Glumae corollinae
fig. 2. n. 1. spicul
indicat.

TAB. XI.

TAB. VII.

- 1 Spicula aucta. 2 Calycis glumae
auctae. 3 Glumae corollinae cum
staminibus, et pistillis auctae.

- 1 Folium auctum, cum
Flores terni, cum
aucti. 3 Glumae cor
ris hermaphroditi cum
et pistillis auctae.

TAB. VIII. *f. 1, et 2.*

- 1 Spicula magnitudine naturali.
2 Calycis glumae auctae. 3 Glu-
mae corollinae cum staminibus,
et pistillis auctae. In *fig. 2.* nu-
meri easdem partes indicant, sed
spicula duplo aucta est.

TAB. XII.

- 1 Pedunculus cum rece
leis, et foliolis calyci
2 Semen auctum, stri
setosum, cum calyc
culato ac pappo 5-s
lyculus, ac pappus au
inspecti. 4 Semen au
lyculo orbatum, et
coronatum.

TAB. IX.

- 1 Spicula aucta. 2 Glumae co-
rollinae auctae, cum arista dor-
sali contorta, et pilorum fasci-
culo ad basim. 3 Germen au-
ctum, cum staminibus pistillis,
et duabus squamis (Nectaria
Lin.).

TAB. XIII. *f. 1,*

- 1 Corolla cum staminib
2 Fructus aucti.

TAB. XIII. *f.*TAB. X. *f. 1, et 2.*

- 1 Folium auctum, cum ligula ad

- 1 Bractea aucta, ad ca
bida, margine fusco-

Calycis foliola quatuor basi pilosa, cum stylo villosa aucta.

3 Corolla aucta cum staminibus.

4 Capsula aucta, disperma, circumscissa.

TAB. XIV.

1 Calycis foliolum auctum, apice denticulatum. 2 Petalum exterius majus, auctum, trilobum.

3 Petalum interius auctum, tripartitum; lacinia media apice denticulata, in icone aperta, sed in statu naturali conduplicata.

4 Stamina, et pistillum aucta.

TAB. XV.

1 Calycis foliolum auctum, integrum. 2 Petalum exterius auctum, obsolete trilobum, quod in icone vix conspicitur ob margines revolutos. 3 Petalum interius auctum, tripartitum, lacinia media fere plana. 4 Stamina et pistillum aucta.

TAB. XVI.

1 Calyx auctus, cum pistillo exserto. 2 Corolla aucta, longitudinaliter fissas, cum antheris et fornicibus penicilliformibus.

TAB. XVII.

1 Calyx cum pistillo magnitudine naturali. 2 Idem auctus. 3 Corolla clausa, aucta. 4 Eadem longitudinaliter fissas cum staminibus. 5 Semina gibbosa, tuberculata, aucta.

TAB. XVIII.

1 Calyx quinque-dentatus, auctus. 2 Corolla quinquefida, aucta, longitudinaliter fissas. 3 Capsula aucta, trilocularis, transversim scissa.

TAB. XIX.

1 Calyx cum bractea auctus. 2 Corolla quinquefida, aucta, longitudinaliter fissas absque staminibus. 3 Corollae basis aperta aucta, cum staminibus basi dilatatis. 4 Germen auctum cum stylo ac stigmate, clavato trifido pubescente. 5 Capsula sulcata, aucta, foris sub apice dehiscens. 6 Eadem trilocularis, horizontaliter secta.

TAB. XX. f. 1, et 2.

1 Fructus auctus cum calyce aperto, obtuso, quinque-dentato. 2 Idem

jam perfectus, auctus, calyce
exsiccato coronatus, longitudi-
naliter lineatus. In fig. 2. num. 1.
calycem quinquefidum exhibet,
et num. 2 fructum calyce co-
ronatum ac reticulato-angulatum.

TAB. XXI.

- 1 Bractea, calycis foliola, et ca-
psula. 2 Corolla patens. 3 Sta-
mina basi corollae inserta. 4 Ger-
men cum stylo et stigmate;
omnia magnitudine naturali. 5
Semen auctum, tetragonum,
excavato-rugosum. 6 Capsulae
2-locularis sectio transversalis.

TAB. XXII.

- 1 Umbellula vix aucta cum in-
volucellis et radiis inaequalibus.
2 Involucelli foliolum auctum,
nervis anastomosantibus exqui-
site reticulatum. 3 Flos auctus
cum petalis involutis. 4 Fructus
auctus, ecostatus, ex dorso visus.
5 Idem ex facie commissurali,
ubi sulco lato notatus.

TAB. XXIII. f. 1, et 2.

- 1 Umbellula aucta cum involu-
ellis patentibus, et radiis aequali-

bus. 2 In-
non anas-
notatum.
ctus subte-
status, ut
ex dorso
commissur-
notatus. In
bellula an-
qualibus.
auctum, m
Flos auctu
ex facie c
Idem later

Ta

- 1 Flos auctu
apice stylis
tibus calyc

T.

- 1 Involuceri
naturali.
auctus.

T.

- 1 Flos auctu
costato-ala
sectus, ut
spiciantur.

TAB. XXVII.

- 1 Flos auctus. 2 Fructus parum auctus ex dorso visus. 3 Idem ex facie commissurali.

TAB. XXVIII.

- 1 Valvula calycina granifera, aucta, nervis reticulata. 2 Eadem granulato destituta.

TAB. XXIX.

- 1 Valvula calycina, setaceo-dentata, granifera, valde aucta.

TAB. XXX.

- 1 Calyx campanulatus auctus, dentibus margine scariosis albidis. 2 Flos auctus. 3 Semen auctum, tuberculatum, globoso-cordatum.

TAB. XXXI.

- 1 Stamina decem vix aucta, quorum quinque alterna longiora. 2 Petalum auctum. 3 Germen auctum, cum stylis et glandulis uncinatis ad basim. 4 Semen auctum, tuberculatum, subglobosum.

TAB. XXXII.

- 1 Bracteae quatuor exteriores flores circumdantes auctae. 2 Flos pedunculatus, capsula et bracteae interiores auctae, absque bracteis exterioribus. 3 Stamina, germen et styli aucti. 4 Capsula jam matura et apice hians, cum calyce hinc disrupto ex latere dejecto. 5 Semen auctum, ex dorso visum, tuberculatum. 6 Idem ex facie interiore, ubi in medio excavatum. 7 Caulis articulus inferior auctus, ut pubescentia magis conspiciatur.

TAB. XXXIII.

- 1 Calyx striatus, auctus, cum bracteis imbricatis ciliatis. 2 Petala, stamina, germen et styli magnitudine naturali. 3 Capsula apice 5-dentata. 4 Semen subcompressum, ovatum, facie interiore visum, ubi vix in medio foveola notatum.

TAB. XXXIV.

- 1 Calyx auctus, 10-striatus, dentibus membrana albida scariosa appendiculatis. 2 Capsula aucta,

pedicello striato pubescente suffulta intra calycem.

TAB. X

TAB. XXXV.

1 Fructus jam manualiter sectus,

1 Petalum auctum cum lamina bipartita, et coronae foliolo bispidato. 2 Capsula cum staminibus et stylis pedicello striato glabro suffulta intra calycem. A. Ramus, in quo pubescentia magis expressa, ut in nonnullis individuis observatur.

TAB.

1 Flos auctus post anthesim. dum perfectae,

TAB.

TAB. XXXVI.

1 Capsulae tres, perfectae et apertae minulis notatae.

1 Calyx fructiferus auctus, 10-nervosus, dentibus margine vix membrana albida scariosa auctis. 2 Capsula, cum staminibus et stylis, brevi pedicello suffulta intra calycem.

TAB. 1

1 Florum corymbis calycibus et corollis

TAB. XLIII, X

TAB. XXXVII. f. 1, et 2.

1 Capsula aucta, et clausa, cum stylis. 2 Eadem apice aperta. 3 Semen auctum, tuberculatum, cordato-globosum. -- Fig. 2. n.º 1. Flos auctus, et apertus. 2 Capsulae quinque vix auctae.

1 Calyx auctus, membrana albidus. 2 Corolla clausa. 3 Eadem fissa cum staminibus. appendix.

TAB. XLVI. 1

TAB. XXXVIII.

1 Flos cum capsula setosa auctus.

1 Petala aequalia, tuor didynamica

licula integra, aucta. 3 Siliculae dissepimentum auctum — *Fig. 2* — 1. Siliculae valvula aucta. 2 Siliculae dissepimentum semina gerens et auctum, in cuius apice stylus oblique insertus. 3 Semen compressum, rotundum — *Fig. 3*. — 1. Siliculae valvula aucta. 2 Siliculae dissepimentum semina gerens, et auctum, in cuius apice stylus in medio insertus. 3 Semen oblongum, auctum.

TAB. XLVII.

- 1 Calyx auctus. 2 Petalum unicum, semibifidum, cum staminibus tetradynamicis, germine et stylo. 3 Siliculae dissepimentum magnitudine naturali cum staminibus. 4 Semen compressum, marginatum, vix auctum.

TAB. XLVIII.

- 1 Calyx cum legumine magnitudine naturali. 2 Legumen vix auctum, apertum, cum seminibus.

TAB. XLIX.

Legumen apertum cum semini-

bus magnitudine naturali. 2 Semen globosum, auctum.

TAB. L.

- 1 Calyx auctus, dentibus inaequalibus. 2 Legumen auctum, foveolatum, et tam in dorso quam ad suturam aculeatum.

TAB. LI.

- 1 Calyx auctus. 2 Legumen rostratum, auctum. 3 Semen reniforme, auctum.

TAB. LII.

- 1 Legumen auctum, anfractibus reticulatis.

TAB. LIII.

- 1 Semen vix auctum, striatum, et laminibus transversalibus scabrum.

TAB. LIV.

- 1 Semen vix auctum, striatum, ad angulos muricatum, cum pappo plumoso.

TAB. LV. f. 1, et 2.

TA

- 1 Semen vix auctum, striatum, leve.

TAB. LVI.

- 1 Corollula radii vix aucta, apice denticulata. 2 Folium calycis interius, semen cum pappo sessili includens. 3 Semen disci scabrum, cum pappo stipitato.

TAB. LVII.

- 1 Semen pappo et corollula tubulosa vix auctum.

TAB. LVIII.

- 1 Semen auctum, glabrum, cum corollula. 2 Idem striatum, magis auctum, cum corolla exsiccata in apice. 3 Receptaculi palea concava, apice tridentata, dente intermedio elongato mucronato.

TAB. LIX.

1. Florum capitulus integer, lana involutus. 2 Calyx et corollulae auctae. 3 Folium calycis exterius ad margines scariosum ac serrulatum. 4 Corollula aucta, cum semina pappo coronata.

- 1 Receptaculi radii tridentati cum semine dimidiato. 3 corollula aucta auctum; dimidiato, tum. 5 Idem tridentati. 6 Semen disci integra instru

TA

- 1 Folium calycis auctum. 2 Idem calycis obsoleto. Semen cum auctum.

TA

- 1 Ramulus cubicatus auctus foliis longioribus. 3 Baculi naturali.

TA

- 1 Samarae tres que attenuat

(11)

turali. 2 Folium magnitudine
propria.


TAB. LXXXI

TAB. LXIV, et LXV.

1 Bractea verticillis vel sessilibus
florum subjecta. 2 Calyx, et
rolla aequaliter quadrifida, sessilis.

1 Frondis pinnula cum soris aucta.

N. B. In tabula XLV. lege tab. XLIV, ac viceversa; et SCRO-
PHULARIA MULTIFIDA pro S. CHRYSANTHEMIFOLIA.



Gius. Lettere. des

Callitriche Brutia

Carlo Di

1

2

3

4

5

6

7

8


9

10

11

12

13



mi del. *Callitriche pedunculata.* *Callitriche truncata* F. Schimper






Fig. 1. *Callitriche pedunculata.* Fig. 2. *Callitriche truncata* *F. Schumacher*





Gius. Lettieri del.

Veronica anagalloides

Carlo Bianchi inc.



Agrostis pallida.

Guil. Poir. det.

Polypogon maritimum

Carlo. Diondi. inc.



Festuca rigida
Piss. Lettieri des.

Vincenzo Segoni inc.



F. Lemirei du.

Festuca dimorpha

Staf. Ricordi inc.




Festuca rigida
Luss. Letticori da:

Vincenzo Segoni inc.



Bromus lanceolatus.

Bromus fasciculatus G. Calaneo inc.



Lattreide. *Bromus lanceolatus.*

Bromus fasciculatus *B. Calaneo*




G. Lettieri des.

Avena fallax

Auf. Biondi inc.





Hordeum secalinum

Letitini del.


At. Imperato inc.



Gius. Lottieri del.

Scabiosa pilosa

Auf. Biondi inc.





Gius. Lettieri del.

Scabiosa pilosa

Aut. Biondi inc.





Faus. & Zettleri del.

Scabiosa pilosa

Prof. Biondi inc.





Scabiosa pilosa

Gius. Lettieri del.

A. Biondi inc.



Gius. Lettieri del.

Scabiosa pilosa

A. Biondi inc.



Guss. Lettieri del.

Scabiosa pilosa

Auf. Biondi inc.









Fig. 1. *Asperula nitens.* *Fig. 2.* *Plantago mont.*
Fig. 3.




Asperula neglecta. *Asperula nitens.* *Plantago montana*
Gips. Lottieri del. *Carlo Bicendi inc.*



Gim. Lettieri dis.

Hypecoum procumbens

Carlo Biondi inc.



Guas. Lettieri des.

Hypochaeris glaucescens.

Carlo Ricciardi inc.





Anchusa undulata


Carlo Ricciardi inc.




Guil. Lottini del.

Echium arenarium.

Carlo Calaneo incis.







Thesium intermedium.

Thesium humile.


A. Biondi inc



in Lattieri di.

Verbascum pinnatifidum

Carlo Cataneo inc.




Lettieri del.


Bupleurum odontites

Hay. & Biondi inc.





Bupleurum aristatum. *Bupleurum glaucum* L. Imperata.



Guss. & Lottieri del.


Myrrhis cynapioides

Carlo Bianchi inc.



Ammi crinitum

Aug. & Sons inc.



Gian. Lottieri del.

Ligusticum cuneifolium

Carlo Cavanini inc.



G. Lestini del.

Heracleum Corsini


Carlo Biondi inc.



G. Lettieri del.

Rumex uliginosus

Charles D. B. inc.



Gins. Lettieri del.

Gypsophylla arrostii

Carlo Biondi inc.



Gian. Pettini del.

Saponaria Calabrica

Carlo Brondi inc.



G. Lottieri del.

Dianthus ciliatus

Sculp. Biondi inc.



Guss. & Lottieri des.

Silene Graefferi

Carlo Bicchi inc.

T. XXXV.



Wm. Listeri des.

Silene multicaulis


A. Robt. Curran inc.



Guss. Lillieri des.

Silene tenuiflora

Fil. Imperato inc.



Guss. Lettieri des. *Scrophularia chrysanthemifolia*

Carolo Ricciardi sc.




Guss. Cal. des.

Crepis glandulosa

Carlo Ricciardi sculpsit

T. LX.



Guerc. Culi du

Anthemis chia

Carlo Biondi inc.



Cent. amb.

Centaurea ambigua

Carlo Bianchi sc.




Gaet. Cali. dis.

Juniperus phoenicia LOBELII.

Carlo. Diendi. inc.



Guet. Culi de *Asplenium angustifolium* Car. Diendi im



Gaet. Calic. do.

Mentha suaveolens

Carlo Biondi inc

